## INDEX OF AUTHORS AND PAPERS


Abe, H., see Hayashi, H. 164 (1990) 217
Akasaka, K., Ishima, R. and Shibata, S., Proton spin relaxation in biopolymers at high magnetic fields 164 (1990) 163
Anderson, J.R., Diluted magnetic semiconductors: novel properties in high magnetic fields 164 (1990) 67
Anisimov, O.A., see Molin, Yu.N. 164 (1990) 200
Antzutkin, O.N., see Molin, Yu.N. 164 (1990) 200
Asano, T., see Inoue, K. 164 (1990) 21
Aubert, G., Jongbloets, H.W.H.M., Picoche, J.C., Plante, A., Rub, P., Schneider-Muntau, H.-J. and Vallier, J.C., The Grenoble 20 MW project 164 (1990) 35

Baalbergen, J.J., Verstelle, J.C. and Van Duyneveldt, A.J., Dynamic magnetic behaviour of some diluted EuS and EuSe compounds 164 (1990) 353
Bocquet, J.F., see Lucazeau, G. 164 (1990) 313
Buschow, K.H.J., see Radwański, R.J. 164 (1990) 131

Calvo, R., see Steren, C.A. 164 (1990) 323
Castellano, E.E., see Steren, C.A. 164 (1990) 323
Chahid, A., see Lucazeau, G. 164 (1990) 313
Chuu, D.S., see Jiang, T.F. 164 (1990) 287

Date, M., Advances in high field magnetism 164 (1990) 108
Date, M., see Yamagishi, A. 164 (1990) 222
De Boer, F.R., see Radwański, R.J. 164 (1990) 131
Degiorgi, L., Wachter, P. and Schlenker, C., Optical evidence of the bipolaronic ground state in the low temperature phase of $Ti_4O_7$ and $Fe_3O_4$ 164 (1990) 305
Dianoux, A.J., see Lucazeau, G. 164 (1990) 313

Fabiane, M.S., see Steren, C.A. 164 (1990) 323
Farberovich, O.V., see Stepanyuk, V.S. 164 (1990) 300

Geertsma, W., Superexchange in insulators and semiconductors I 164 (1990) 241
Geertsma, W. and Haas, C., Superexchange in insulators and semiconductors II 164 (1990) 261

Haas, C., see Geertsma, W. 164 (1990) 261
Hamaguchi, C. and Mori, N., 18 164 (1990) 85
Hamamura, A., see Hirosawa, S. 164 (1990) 117
Han, S., The development of high field magnets in China 164 (1990) 17
Hanaki, A., see Hirosawa, S. 164 (1990) 117
Hayashi, H., Sakaguchi, Y. and Abe, H., Magnetic field effects on dynamic behavior of excited molecules 164 (1990) 217
Hengstenberg, W., see Kalbitzer, H.R. 164 (1990) 180

Higashi, T., see Yamagishi, A. 164 (1990) 222
Hirosawa, S., Hanaki, A., Tomizawa, H. and Hamamura, A., Current status of Nd–Fe–B permanent magnet materials 164 (1990) 117
Hoshi, A., see Nakagawa, Y. 164 (1990) 29

Ikeda, K., see Noto, K. 164 (1990) 124
Inoue, K., Kiyoshi, T., Asano, T., Itoh, K., Takeuchi, T., Wada, H. and Maeda, H., Development project of high-field facilities at NRIM 164 (1990) 21
Ishima, R., see Akasaka, K. 164 (1990) 163
Itoh, K., see Inoue, K. 164 (1990) 21
Iwasa, Y., see Leupold, M.J. 164 (1990) 8

Jiang, T.F. and Chuu, D.S., Surface optical phonon effects on surface impurity states in isotropic semiconductors InP, InAs and InSb 164 (1990) 287
Jongbloets, H.W.H.M., see Aubert, G. 164 (1990) 35

Kalbitzer, H.R., Neidig, K.-P. and Hengstenberg, W., Structure determination of polypeptides and proteins by two-dimensional nuclear magnetic resonance spectroscopy 164 (1990) 180
Katsnelson, A.A., see Stepanyuk, V.S. 164 (1990) 300
Kawaji, S., Recent results of high magnetic field experiments on 2D systems: localization; and quantized Hall resistance 164 (1990) 50
Kido, G., see Nakagawa, Y. 164 (1990) 29
Kido, G., Mogi, I., Takeda, M. and Nakagawa, Y., High field magneto-optics at Tohoku university 164 (1990) 76
Kiyoshi, T., see Inoue, K. 164 (1990) 21
Kleinpenning, T.G.M., On $1/f$ noise and random telegraph noise in very small electronic devices 164 (1990) 331
Kobayashi, N., see Muto, Y. 164 (1990) 139
Koptyug, A.V., see Molin, Yu.N. 164 (1990) 200
Kozlov, A.V., see Stepanyuk, V.S. 164 (1990) 300

Leupold, M.J., Weggel, R.J. and Iwasa, Y., 35 Tesla hybrid magnet 164 (1990) 8
Lucazeau, G., Chahid, A., Bocquet, J.F., Dianoux, A.J. and Roberts, M.P., Neutron scattering study of the reorientational motions of $NH_4^+$ ions in $NH_4B(C_6H_5)_4$ and $NH_4B(C_6D_5)_4$ crystals 164 (1990) 313

Maeda, H., see Inoue, K. 164 (1990) 21
Maret, G., Recent biophysical studies in high magnetic fields 164 (1990) 205
Mašović, D.R., The chemical pseudopotential of the spin–orbit interaction 164 (1990) 335
Matsushita, T., Flux creep and critical currents in oxide superconductors 164 (1990) 150
Miura, N., Solid state physics research in megagauss fields 164 (1990) 97
Miura, S., see Nakagawa, Y. 164 (1990) 29
Mogi, I., see Kido, G. 164 (1990) 76
Molin, Yu.N., Anisimov, O.A., Koptyug, A.V., Saik, V.O. and Antzutkin, O.N., Effect of external magnetic fields and resonance radiofrequency radiation on radical reactions 164 (1990) 200
Mori, N., see Hamaguchi, C. 164 (1990) 85
Murase, S., see Noto, K. 164 (1990) 124

Muto, Y., see Noto, K. 164 (1990) 124
Muto, Y., Kobayashi, N. and Watanabe, K., Macroscopic nature of transport properties in high-$T_c$ superconductors 164 (1990) 139
Muto, Y., see Nakagawa, Y. 164 (1990) 29

Nakagawa, M., Mammals' response and adaptation to static magnetic fields as a nonspecific stressor 164 (1990) 213
Nakagawa, Y., Kido, G., Hoshi, A., Watanabe, K., Miura, S. and Muto, Y., High field magnets at Sendai 164 (1990) 29
Nakagawa, Y., see Kido, G. 164 (1990) 76
Neidig, K.-P., see Kalbitzer, H.R. 164 (1990) 180
Neuringer, L.J., Nuclear magnetic resonance spectroscopy and imaging of humans 164 (1990) 193
Nigam, A.N., see Soni, S.N. 164 (1990) 339
Noguchi, T., see Noto, K. 164 (1990) 124
Noto, K., Watanabe, K., Murase, S., Sato, A., Ikeda, K., Saito, S., Yamazaki, K., Sato, T., Noguchi, T. and Muto, Y., Development of advanced high field superconductors 164 (1990) 124

Perenboom, J.A.A.J., see Van Hulst, K. 164 (1990) 13
Picoche, J.C., see Aubert, G. 164 (1990) 35
Piro, O.E., see Steren, C.A. 164 (1990) 323
Plante, A., see Aubert, G. 164 (1990) 35

Radwański, R.J., Zhong, X.P., De Boer, F.R. and Buschow, K.H.J., Study of magnetic interactions in ferrimagnetic systems in the Amsterdam High-Field Installation 164 (1990) 131
Rakitin, A.S. and Yakovlenko, S.I., On the effect of Debye screening upon the dynamic conductivity of superionics 164 (1990) 349
Roberts, M.P., see Lucazeau, G. 164 (1990) 313
Rub, P., see Aubert, G. 164 (1990) 35

Saik, V.O., see Molin, Yu.N. 164 (1990) 200
Saito, S., see Noto, K. 164 (1990) 124
Sakaguchi, Y., see Hayashi, H. 164 (1990) 217
Sato, A., see Noto, K. 164 (1990) 124
Sato, T., see Noto, K. 164 (1990) 124
Schlenker, C., see Degiorgi, L. 164 (1990) 305
Schneider, Th., see Turowski, P. 164 (1990) 3
Schneider-Muntau, H.-J., see Aubert, G. 164 (1990) 35
Shibata, S., see Akasaka, K. 164 (1990) 163
Soni, S.N. and Nigam, A.N., K$\beta$ satellite spectrum of metallic nickel 164 (1990) 339
Stepanyuk, V.S., Szasz, A., Katsnelson, A.A., Kozlov, A.V. and Farberovich, O.V., Comparison of electronic structures of P and B impurities in nickel 164 (1990) 300
Steren, C.A., Calvo, R., Castellano, E.E., Fabiane, M.S. and Piro, O.E., Molecular structure and single crystal EPR spectra of Bis-(L-valinato)copper(II) monohydrate, $Cu[H_2NCH(CH_3)_2CHCO_2]_2 \cdot H_2O$ 164 (1990) 323
Szasz, A., see Stepanyuk, V.S. 164 (1990) 300

Takeda, H., Japanese superconducting maglev: present state and future perspective 164 (1990) 229
Takeda, M., see Kido, G. 164 (1990) 76
Takeuchi, T., see Inoue, K. 164 (1990) 21
Takeuchi, T., see Yamagishi, A. 164 (1990) 222
Tomizawa, H., see Hirosawa, S. 164 (1990) 117
Tran Thoai, D.B., Exciton binding energy in semiconductor quantum wells and in heterostructures 164 (1990) 295
Tsui, D.C., The strange physics of two-dimensional electrons in a strong magnetic field 164 (1990) 59
Turowski, P. and Schneider, Th., Design and operation of a 20 T superconducting magnet system and future prospects 164 (1990) 3

Vallier, J.C., see Aubert, G. 164 (1990) 35
Van Duyneveldt, A.J., see Baalbergen, J.J. 164 (1990) 353
Van Hulst, K. and Perenboom, J.A.A.J., The Nijmegen hybrid magnet systems 164 (1990) 13
Verstelle, J.C., see Baalbergen, J.J. 164 (1990) 353
Von Klitzing, K., Microstructured semiconductors in strong magnetic fields 164 (1990) 43

Wachter, P., see Degiorgi, L. 164 (1990) 305
Wada, H., see Inoue, K. 164 (1990) 21
Watanabe, K., see Noto, K. 164 (1990) 124
Watanabe, K., see Muto, Y. 164 (1990) 139
Watanabe, K., see Nakagawa, Y. 164 (1990) 29
Weggel, R.J., see Leupold, M.J. 164 (1990) 8

Yakovlenko, S.I., see Rakitin, A.S. 164 (1990) 349
Yamagishi, A., Takeuchi, T., Higashi, T. and Date, M., Magnetic field effect on the polymerization of fibrin fibers 164 (1990) 222
Yamazaki, K., see Noto, K. 164 (1990) 124

Zhong, X.P., see Radwański, R.J. 164 (1990) 131

## ANALYTIC SUBJECT INDEX


*AC susceptibility measurements*
- Dynamic magnetic behaviour of some diluted EuS and EuSe compounds - Baalbergen et al. 164 (1990) 353

*Alexandrite*
- High field magneto-optics at Tohoku university - Kido et al. 164 (1990) 76

*Anisotropy field*
- Current status of Nd–Fe–B permanent magnet materials - Hirosawa et al. 164 (1990) 117
- Study of magnetic interactions in ferrimagnetic systems in the Amsterdam High-Field Installation - Radwański et al. 164 (1990) 131

*Auger transitions*
- K$\beta$ satellite spectrum of metallic nickel - Soni and Nigam 164 (1990) 339

*B impurities in nickel*
- Comparison of electronic structures of P and — - Stepanyuk et al. 164 (1990) 300

*Band structure calculations*
- The chemical pseudopotential of the spin–orbit interaction - Mašović 164 (1990) 335

*Biochemistry*
- Structure determination of polypeptides and proteins by two-dimensional nuclear magnetic resonance spectroscopy - Kalbitzer et al. 164 (1990) 180
- Nuclear magnetic resonance spectroscopy and imaging of humans - Neuringer 164 (1990) 193

*Biological effect*
- Recent biophysical studies in high magnetic fields - Maret 164 (1990) 205
- Mammals' response and adaptation to static magnetic fields as a nonspecific stressor - Nakagawa 164 (1990) 213
- Magnetic field effect on the polymerization of fibrin fibers - Yamagishi et al. 164 (1990) 222

*Bipolaronic ground state*
- Optical evidence of the — in the low temperature phase of $Ti_4O_7$ and $Fe_3O_4$ - Degiorgi et al. 164 (1990) 305

*Bis-(L-valinato)copper II monohydrate*
- Molecular structure and single crystal EPR spectra of — $Cu[H_2NCH(CH_3)_2CH\text{-}CO_2]_2 \cdot H_2O$ - Steren et al. 164 (1990) 323

*$Bi_2Sr_2Ca_1Cu_2O_{8+x}$/Ag wire*
- Design and operation of a 20 T superconducting magnet system and future prospects - Turowski and Schneider 164 (1990) 3

*Bitter magnet*
- The Grenoble 20 MW project - Aubert et al. 164 (1990) 35

*Capacitor bank*
- Development project of high-field facilities at NRIM - Inoue et al. 164 (1990) 21

*$Cd_{1-x}Mn_xSe$*
- Diluted magnetic semiconductors: novel properties in high magnetic fields - Anderson 164 (1990) 67

– High field magneto-optics at Tohoku university - Kido et al. 164 (1990) 76
*Chemical effect*
– High field magnets at Sendai - Nakagawa et al. 164 (1990) 29
*Chromosome*
– Recent biophysical studies in high magnetic fields - Maret 164 (1990) 205
*Coercivity*
– Current status of Nd–Fe–B permanent magnet materials - Hirosawa et al. 164 (1990) 117
*Conductivity of superionics, dyanamic*
– On the effect of Debye screening upon the dynamic conductivity of superionics - Rakitin and Yakovlenko 164 (1990) 349
*Cooling system*
– The Grenoble 20 MW project - Aubert et al. 164 (1990) 35
*Copper amino acid complex*
– Molecular structure and single crystal EPR spectra of Bis-(L-valinato)copper(II) monohydrate, $Cu[H_2NCH(CH_3)_2CHCO_2]_2 \cdot H_2O$ - Steren et al. 164 (1990) 323
*Cotton–Mouton constant*
– Recent biophysical studies in high magnetic fields - Maret 164 (1990) 205
– Magnetic field effect on the polymerization of fibrin fibers - Yamagishi et al. 164 (1990) 222
*Critical current density*
– Development of advanced high field superconductors - Noto et al. 164 (1990) 124
– Macroscopic nature of transport properties in high-$T_c$ superconductors - Muto et al. 164 (1990) 139
– Flux creep and critical currents in oxide superconductors - Matsushita 164 (1990) 150
*Cryogenerator*
– The Nijmegen hybrid magnet systems - van Hulst and Perenboom 164 (1990) 13
*$CS_2$*
– Magnetic field effects on dynamic behavior of excited molecules - Hayashi et al. 164 (1990) 217
*$CsFeCl_3 \cdot 2H_2O$*
– High field magneto-optics at Tohoku university - Kido et al. 164 (1990) 76
*Cu–Nb alloy*
– Development project of high-field facilities at NRIM - Inoue et al. 164 (1990) 21
*$Cu[H_2NCH(CH_3)_2CHCO_2]_2 \cdot H_2O$*
– Molecular structure and single crystal EPR spectra of Bis-(L-valinato)copper(II) monohydrate, — - Steren et al. 164 (1990) 323
*CuO*
– Advances in high field magnetism - Date 164 (1990) 108
*CVD superconducting oxide*
– Macroscopic nature of transport properties in high-$T_c$ superconductors - Muto et al. 164 (1990) 139

*Debye screening*
– On the effect of — upon the dynamic conductivity of superionics - Rakitin and Yakovlenko 164 (1990) 349
*Diamagnetic anisotropy*
– Recent biophysical studies in high magnetic fields - Maret 164 (1990) 205
– Magnetic field effect on the polymerization of fibrin fibers - Yamagishi et al. 164 (1990) 222
*Diamagnetic Curie–Weiss law*
– Magnetic field effect on the polymerization of fibrin fibers - Yamagishi et al. 164 (1990) 222

*Diluted magnetic semiconductor*
– Diluted magnetic semiconductors: novel properties in high magnetic fields - Anderson 164 (1990) 67
– Solid state physics research in megagauss fields - Miura 164 (1990) 97

*Electronic structures*
– Comparison of — of P and B impurities in nickel - Stepanyuk et al. 164 (1990) 300

*EPR spectra*
– Molecular structure and single crystal — of Bis-(L-valinato)copper(II) monohydrate, $Cu[H_2NCH(CH_3)_2CHCO_2]_2 \cdot H_2O$ - Steren et al. 164 (1990) 323

*EuS*
– Dynamic magnetic behaviour of some diluted — and — e compounds - Baalbergen et al. 164 (1990) 353

*EuSe*
– Dynamic magnetic behaviour of some diluted EuS and — compounds - Baalbergen et al. 164 (1990) 353

*Exchange field*
– Study of magnetic interactions in ferrimagnetic systems in the Amsterdam High-Field Installation - Radwański et al. 164 (1990) 131

*Excited molecules*
– Magnetic field effects on dynamic behavior of — - Hayashi et al. 164 (1990) 217

*Exciton binding energy*
– — in semiconductor quantum wells and in heterostructures - Tran Thoai 164 (1990) 295

*Exposure to magnetic field*
– Mammals' response and adaptation to static magnetic fields as a nonspecific stressor - Nakagawa 164 (1990) 213

*1 / f noise*
– On — and random telegraph noise in very small electronic devices - Kleinpenning 164 (1990) 331

*$Fe_3O_4$*
– Optical evidence of the bipolaronic ground state in the low temperature phase of $Ti_4O_7$ and — - Degiorgi et al. 164 (1990) 305

*Fibrin fibers*
– Magnetic field effect on the polymerization of — - Yamagishi et al. 164 (1990) 222

*Flux compression*
– Solid state physics research in megagauss fields - Miura 164 (1990) 97

*Flux creep*
– Macroscopic nature of transport properties in high-$T_c$ superconductors - Muto et al. 164 (1990) 139
– — and critical currents in oxide superconductors - Matsushita 164 (1990) 150

*Flux pinning*
– Flux creep and critical currents in oxide superconductors - Matsushita 164 (1990) 150

*Fluxoid*
– Flux creep and critical currents in oxide superconductors - Matsushita 164 (1990) 150

*Fractional quantum Hall effect*
– Microstructured semiconductors in strong magnetic fields - von Klitzing 164 (1990) 43
– Recent results of high magnetic field experiments on 2D systems: localization; and quantized Hall resistance - Kawaji 164 (1990) 50
– The strange physics of two-dimensional electrons in a strong magnetic field - Tsui 164 (1990) 59

*GaAs*
– Magnetophonon resonance in semiconductors - Hamaguchi and Mori 164 (1990) 85
*GaAs / AlGaAs heterostructure*
– Recent results of high magnetic field experiments on 2D systems: localization; and quantized Hall resistance - Kawaji 164 (1990) 50
– The strange physics of two-dimensional electrons in a strong magnetic field - Tsui 164 (1990) 59
– Magnetophonon resonance in semiconductors - Hamaguchi and Mori 164 (1990) 85
*$Gd_2Co_{14}B$*
– Study of magnetic interactions in ferrimagnetic systems in the Amsterdam High-Field Installation - Radwański et al. 164 (1990) 131
*General adaptation syndrome*
– Mammals' response and adaptation to static magnetic fields as a nonspecific stressor - Nakagawa 164 (1990) 213

*Heavy fermion*
– Advances in high field magnetism - Date 164 (1990) 108
*Helium refrigerator*
– Japanese superconducting maglev: present state and future perspective - Takeda 164 (1990) 229
*Heterostructures*
– Exciton binding energy in semiconductor quantum wells and in — - Tran Thoai 164 (1990) 295
*$Hg_{1-x-y}Cd_yMn_xTe$*
– Diluted magnetic semiconductors: novel properties in high magnetic fields - Anderson 164 (1990) 67
*$Hg_{1-x}Mn_xTe$*
– Diluted magnetic semiconductors: novel properties in high magnetic fields - Anderson 164 (1990) 67
*High electric field*
– Magnetophonon resonance in semiconductors - Hamaguchi and Mori 164 (1990) 85
*High pressure*
– High field magneto-optics at Tohoku university - Kido et al. 164 (1990) 76
*High resolution NMR*
– Structure determination of polypeptides and proteins by two-dimensional nuclear magnetic resonance spectroscopy - Kalbitzer et al. 164 (1990) 180
*High temperature superconductor*
– Solid state physics research in megagauss fields - Miura 164 (1990) 97
*High-temperature superconductor*
– Advances in high field magnetism - Date 164 (1990) 108
– Macroscopic nature of transport properties in high-$T_c$ superconductors - Muto et al. 164 (1990) 139
*$Ho_{1.8}La_{0.2}Co_{14}B$*
– Study of magnetic interactions in ferrimagnetic systems in the Amsterdam High-Field Installation - Radwański et al. 164 (1990) 131
*Holmium core*
– The development of high field magnets in China - Han 164 (1990) 17
*Human*
– Nuclear magnetic resonance spectroscopy and imaging of humans - Neuringer 164 (1990) 193
*Human epidermal growth factor*
– Proton spin relaxation in biopolymers at high magnetic fields - Akasaka et al. 164 (1990) 163

*Hybrid magnet*
– 35 Tesla — - Leupold et al. 164 (1990) 8
– The Nijmegen — systems - van Hulst and Perenboom 164 (1990) 13
– The development of high field magnets in China - Han 164 (1990) 17
– Development project of high-field facilities at NRIM - Inoue et al. 164 (1990) 21
– High field magnets at Sendai - Nakagawa et al. 164 (1990) 29
– The Grenoble 20 MW project - Aubert et al. 164 (1990) 35
– High field magneto-optics at Tohoku university - Kido et al. 164 (1990) 76
– Macroscopic nature of transport properties in high-$T_c$ superconductors - Muto et al. 164 (1990) 139

*III-V compounds*
– Surface optical phonon effects on surface impurity states in isotropic semiconductors InP, InAs and InSb - Jiang and Chuu 164 (1990) 287
*III–V semiconductors*
– Magnetophonon resonance in semiconductors - Hamaguchi and Mori 164 (1990) 85
*In-compounds*
– Surface optical phonon effects on surface impurity states in isotropic semiconductors InP, InAs and InSb - Jiang and Chuu 164 (1990) 287
*Infrared cyclotron resonance*
– Solid state physics research in megagauss fields - Miura 164 (1990) 97
*InGaAs / InP*
– The strange physics of two-dimensional electrons in a strong magnetic field - Tsui 164 (1990) 59
*Insulator–metal transition*
– Advances in high field magnetism - Date 164 (1990) 108
*Inter-Landau-level scattering*
– Magnetophonon resonance in semiconductors - Hamaguchi and Mori 164 (1990) 85
*IR spectra of $NH_4^+$*
– Neutron scattering study of the reorientational motions of $NH_4^+$ ions in $NH_4B(C_6H_5)_4$ and $NH_4B(C_6D_5)_4$ crystals - Lucazeau et al. 164 (1990) 313

*Laughlin's theory*
– The strange physics of two-dimensional electrons in a strong magnetic field - Tsui 164 (1990) 59
*Linear synchronous motor*
– Japanese superconducting maglev: present state and future perspective - Takeda 164 (1990) 229
*Liquid electrolytes*
– On the effect of Debye screening upon the dynamic conductivity of superionics - Rakitin and Yakovlenko 164 (1990) 349
*Living systems*
– Recent biophysical studies in high magnetic fields - Maret 164 (1990) 205

*Macromolecule*
– Proton spin relaxation in biopolymers at high magnetic fields - Akasaka et al. 164 (1990) 163
– Structure determination of polypeptides and proteins by two-dimensional nuclear magnetic resonance spectroscopy - Kalbitzer et al. 164 (1990) 180
*Magnetic fluorescence quenching*
– Magnetic field effects on dynamic behavior of excited molecules - Hayashi et al. 164 (1990) 217

*Magnetic insulators*
– Superexchange in insulators and semiconductors I - Geertsma 164 (1990) 241
– Superexchange in insulators and semiconductors II - Geertsma and Haas 164 (1990) 261
*Magnetic levitation*
– Japanese superconducting maglev: present state and future perspective - Takeda 164 (1990) 229
*Magnetic orientation*
– Magnetic field effect on the polymerization of fibrin fibers - Yamagishi et al. 164 (1990) 222
*Magnetic resonance imaging*
– Nuclear magnetic resonance spectroscopy and imaging of humans - Neuringer 164 (1990) 193
*Magnetic resonance spectroscopy*
– Nuclear — and imaging of humans - Neuringer 164 (1990) 193
*Magnetic semiconductors*
– Superexchange in insulators and semiconductors I - Geertsma 164 (1990) 241
– Superexchange in insulators and semiconductors II - Geertsma and Haas 164 (1990) 261
*Magnetization process*
– Study of magnetic interactions in ferrimagnetic systems in the Amsterdam High-Field Installation - Radwański et al. 164 (1990) 131
*Magneto–optics*
– Diluted magnetic semiconductors: novel properties in high magnetic fields - Anderson 164 (1990) 67
– High field magneto-optics at Tohoku university - Kido et al. 164 (1990) 76
– Solid state physics research in megagauss fields - Miura 164 (1990) 97
*Magnetoluminescence*
– Microstructured semiconductors in strong magnetic fields - von Klitzing 164 (1990) 43
– High field magneto-optics at Tohoku university - Kido et al. 164 (1990) 76
*Magnetophonon resonance*
– — in semiconductors - Hamaguchi and Mori 164 (1990) 85
*Magnetotransport*
– Microstructured semiconductors in strong magnetic fields - von Klitzing 164 (1990) 43
– Diluted magnetic semiconductors: novel properties in high magnetic fields - Anderson 164 (1990) 67
– Solid state physics research in megagauss fields - Miura 164 (1990) 97
*Mammals*
– Mammals' response and adaptation to static magnetic fields as a nonspecific stressor - Nakagawa 164 (1990) 213
*Medicine*
– Nuclear magnetic resonance spectroscopy and imaging of humans - Neuringer 164 (1990) 193
*Megagauss field*
– Solid state physics research in megagauss fields - Miura 164 (1990) 97
*Metallic nickel*
– K$\beta$ satellite spectrum of — - Soni and Nigam 164 (1990) 339
*Metamagnetism*
– Advances in high field magnetism - Date 164 (1990) 108
*Mice*
– Mammals' response and adaptation to static magnetic fields as a nonspecific stressor - Nakagawa 164 (1990) 213
*Microstructured semiconductor*
– Microstructured semiconductors in strong magnetic fields - von Klitzing 164 (1990) 43

*$MnF_2$*
– High field magneto-optics at Tohoku university - Kido et al. 164 (1990) 76
*Monohelix backbone*
– 35 Tesla hybrid magnet - Leupold et al. 164 (1990) 8
*MOSFETs*
– On $1/f$ noise and random telegraph noise in very small electronic devices - Kleinpenning 164 (1990) 331

*$(Nb,Ti)_3Sn$*
– Development project of high-field facilities at NRIM - Inoue et al. 164 (1990) 21
– Development of advanced high field superconductors - Noto et al. 164 (1990) 124
*Nb–Ti*
– Development project of high-field facilities at NRIM - Inoue et al. 164 (1990) 21
*$Nb_3Al$*
– Development of advanced high field superconductors - Noto et al. 164 (1990) 124
*$Nb_3Sn$*
– Design and operation of a 20 T superconducting magnet system and future prospects - Turowski and Schneider 164 (1990) 3
– 35 Tesla hybrid magnet - Leupold et al. 164 (1990) 8
– The development of high field magnets in China - Han 164 (1990) 17
*$(NbTa)_3Sn$*
– Design and operation of a 20 T superconducting magnet system and future prospects - Turowski and Schneider 164 (1990) 3
*NbTi*
– Design and operation of a 20 T superconducting magnet system and future prospects - Turowski and Schneider 164 (1990) 3
– 35 Tesla hybrid magnet - Leupold et al. 164 (1990) 8
– The development of high field magnets in China - Han 164 (1990) 17
– Japanese superconducting maglev: present state and future perspective - Takeda 164 (1990) 229
*NbTiHf*
– Development of advanced high field superconductors - Noto et al. 164 (1990) 124
*$(NbTi)_3Sn$*
– Design and operation of a 20 T superconducting magnet system and future prospects - Turowski and Schneider 164 (1990) 3
– The development of high field magnets in China - Han 164 (1990) 17
*$Nd_2Fe_{14}B$*
– High field magnets at Sendai - Nakagawa et al. 164 (1990) 29
– Current status of Nd–Fe–B permanent magnet materials - Hirosawa et al. 164 (1990) 117
– Study of magnetic interactions in ferrimagnetic systems in the Amsterdam High-Field Installation - Radwański et al. 164 (1990) 131
*Neutron scattering experiments*
– Neutron scattering study of the reorientational motions of $NH_4^+$ ions in $NH_4B(C_6H_5)_4$ and $NH_4B(C_6D_5)_4$ crystals - Lucazeau et al. 164 (1990) 313
*$NH_4B(C_6D_5)_4$*
– Neutron scattering study of the reorientational motions of $NH_4^+$ ions in $NH_4B(C_6H_5)_4$ and — crystals - Lucazeau et al. 164 (1990) 313

*$NH_4B(C_6H_5)_4$*
– Neutron scattering study of the reorientational motions of $NH_4^+$ ions in — and $NH_4B(C_6D_5)_4$ crystals - Lucazeau et al. 164 (1990) 313
*Ni-systems*
– Comparison of electronic structures of P and B impurities in nickel - Stepanyuk et al. 164 (1990) 300
*Nickel, metallic*
– K$\beta$ satellite spectrum of metallic nickel - Soni and Nigam 164 (1990) 339
*Nuclear magnetic resonance*
– Proton spin relaxation in biopolymers at high magnetic fields - Akasaka et al. 164 (1990) 163
– — spectroscopy and imaging of humans - Neuringer 164 (1990) 193

*1-D antiferromagnet*
– High field magneto-optics at Tohoku university - Kido et al. 164 (1990) 76

*Optical phonon effects*
– Surface — on surface impurity states in isotropic semiconductors InP, InAs and InSb - Jiang and Chuu 164 (1990) 287
*Organic liquids*
– Magnetic field effect on the polymerization of fibrin fibers - Yamagishi et al. 164 (1990) 222
*Organic superconductor*
– Solid state physics research in megagauss fields - Miura 164 (1990) 97
*Organic superconductors*
– High field magnets at Sendai - Nakagawa et al. 164 (1990) 29
*Oxide superconductor*
– Macroscopic nature of transport properties in high-$T_c$ superconductors - Muto et al. 164 (1990) 139
– Flux creep and critical currents in oxide superconductors - Matsushita 164 (1990) 150

*P impurities in nickel*
– Comparison of electronic structures of P and B impurities in nickel - Stepanyuk et al. 164 (1990) 300
*$Pb_{1-x-y}Sn_yMn_xSe$*
– Diluted magnetic semiconductors: novel properties in high magnetic fields - Anderson 164 (1990) 67
*Permanent-magnet materials*
– Current status of Nd–Fe–B permanent magnet materials - Hirosawa et al. 164 (1990) 117
– Study of magnetic interactions in ferrimagnetic systems in the Amsterdam High-Field Installation - Radwański et al. 164 (1990) 131
*Phonon modes*
– Optical evidence of the bipolaronic ground state in the low temperature phase of $Ti_4O_7$ and $Fe_3O_4$ - Degiorgi et al. 164 (1990) 305
*Physiology*
– Nuclear magnetic resonance spectroscopy and imaging of humans - Neuringer 164 (1990) 193
*Polyhelix magnet*
– The Grenoble 20 MW project - Aubert et al. 164 (1990) 35

*Polypeptide*
– Structure determination of polypeptides and proteins by two-dimensional nuclear magnetic resonance spectroscopy - Kalbitzer et al. 164 (1990) 180
*Power supply*
– The Nijmegen hybrid magnet systems - van Hulst and Perenboom 164 (1990) 13
– The Grenoble 20 MW project - Aubert et al. 164 (1990) 35
– Japanese superconducting maglev: present state and future perspective - Takeda 164 (1990) 229
*Pressurized superfluid helium*
– Design and operation of a 20 T superconducting magnet system and future prospects - Turowski and Schneider 164 (1990) 3
– Development of advanced high field superconductors - Noto et al. 164 (1990) 124
*Protein*
– Proton spin relaxation in biopolymers at high magnetic fields - Akasaka et al. 164 (1990) 163
– Structure determination of polypeptides and proteins by two-dimensional nuclear magnetic resonance spectroscopy - Kalbitzer et al. 164 (1990) 180
*Proton longitudinal relaxation*
– Proton spin relaxation in biopolymers at high magnetic fields - Akasaka et al. 164 (1990) 163
*Pseudo potential*
– The chemical pseudopotential of the spin–orbit interaction - Mašović 164 (1990) 335
*Pulsed magnet*
– Development project of high-field facilities at NRIM - Inoue et al. 164 (1990) 21
– High field magnets at Sendai - Nakagawa et al. 164 (1990) 29
*Purple membrane*
– Recent biophysical studies in high magnetic fields - Maret 164 (1990) 205

*Quantized Hall resistance*
– Microstructured semiconductors in strong magnetic fields - von Klitzing 164 (1990) 43
– Recent results of high magnetic field experiments on 2D systems: localization; and — - Kawaji 164 (1990) 50
*Quantum beats*
– Effect of external magnetic fields and resonance radiofrequency radiation on radical reactions - Molin et al. 164 (1990) 200
*Quantum Hall effect*
– Microstructured semiconductors in strong magnetic fields - von Klitzing 164 (1990) 43
– Recent results of high magnetic field experiments on 2D systems: localization; and quantized Hall resistance - Kawaji 164 (1990) 50
– The strange physics of two-dimensional electrons in a strong magnetic field - Tsui 164 (1990) 59
*Quasi continuous magnet*
– High field magnets at Sendai - Nakagawa et al. 164 (1990) 29

*Radical pair*
– Effect of external magnetic fields and resonance radiofrequency radiation on radical reactions - Molin et al. 164 (1990) 200
– Magnetic field effects on dynamic behavior of excited molecules - Hayashi et al. 164 (1990) 217
*Radical reaction*
– Effect of external magnetic fields and resonance radiofrequency radiation on radical reactions - Molin et al. 164 (1990) 200

*Random telegraph noise*
– On $1/f$ noise and — in very small electronic devices - Kleinpenning 164 (1990) 331
*Rare-earth magnet*
– Current status of Nd–Fe–B permanent magnet materials - Hirosawa et al. 164 (1990) 117
*Rats*
– Mammals' response and adaptation to static magnetic fields as a nonspecific stressor - Nakagawa 164 (1990) 213
*$RCrO_3$*
– High field magneto-optics at Tohoku university - Kido et al. 164 (1990) 76
*Reaction rates*
– Magnetic field effects on dynamic behavior of excited molecules - Hayashi et al. 164 (1990) 217
*Remanent flux density*
– Current status of Nd–Fe–B permanent magnet materials - Hirosawa et al. 164 (1990) 117
*Resistive magnet*
– The Grenoble 20 MW project - Aubert et al. 164 (1990) 35
*Resonance radiofrequency radiation*
– Effect of external magnetic fields and — on radical reactions - Molin et al. 164 (1990) 200

*Saturation transfer*
– Proton spin relaxation in biopolymers at high magnetic fields - Akasaka et al. 164 (1990) 163
*Semiconductor quantum wells*
– Exciton binding energy in — and in heterostructures - Tran Thoai 164 (1990) 295
*Si-MOSFET*
– Recent results of high magnetic field experiments on 2D systems: localization; and quantized Hall resistance - Kawaji 164 (1990) 50
*Singlet–triplet conversion*
– Effect of external magnetic fields and resonance radiofrequency radiation on radical reactions - Molin et al. 164 (1990) 200
– Magnetic field effects on dynamic behavior of excited molecules - Hayashi et al. 164 (1990) 217
*Spin diffusion*
– Proton spin relaxation in biopolymers at high magnetic fields - Akasaka et al. 164 (1990) 163
*Spin glass systems, dynamic magnetic behaviour of*
– Dynamic magnetic behaviour of some diluted EuS and EuSe compounds - Baalbergen et al. 164 (1990) 353
*Spin-locking*
– Effect of external magnetic fields and resonance radiofrequency radiation on radical reactions - Molin et al. 164 (1990) 200
*Spin–orbit interaction*
– The chemical pseudopotential of the — - Mašović 164 (1990) 335
*Sub-cooled superfluid helium*
– 35 Tesla hybrid magnet - Leupold et al. 164 (1990) 8
*Superexchange*
– — in insulators and semiconductors I - Geertsma 164 (1990) 241
– — in insulators and semiconductors II - Geertsma and Haas 164 (1990) 261
*Superconducting magnet*
– Design and operation of a 20 T — system and future prospects - Turowski and Schneider 164 (1990) 3
– 35 Tesla hybrid magnet - Leupold et al. 164 (1990) 8

– The Nijmegen hybrid magnet systems - van Hulst and Perenboom 164 (1990) 13
– The development of high field magnets in China - Han 164 (1990) 17
– Development project of high-field facilities at NRIM - Inoue et al. 164 (1990) 21
– High field magnets at Sendai - Nakagawa et al. 164 (1990) 29
– The Grenoble 20 MW project - Aubert et al. 164 (1990) 35
– Development of advanced high field superconductors - Noto et al. 164 (1990) 124
– Flux creep and critical currents in oxide superconductors - Matsushita 164 (1990) 150
– Japanese superconducting maglev: present state and future perspective - Takeda 164 (1990) 229
*Surface optical phonon effects*
– — on surface impurity states in isotropic semiconductors InP, InAs and InSb - Jiang and Chuu 164 (1990) 287

*$Ti_4O_7$*
– Optical evidence of the bipolaronic ground state in the low temperature phase of — and $Fe_3O_4$ - Degiorgi et al. 164 (1990) 305
*Two-dimensional electron system*
– Microstructured semiconductors in strong magnetic fields - von Klitzing 164 (1990) 43
– Recent results of high magnetic field experiments on 2D systems: localization; and quantized Hall resistance - Kawaji 164 (1990) 50
– The strange physics of two-dimensional electrons in a strong magnetic field - Tsui 164 (1990) 59
– 18 - Hamaguchi and Mori 164 (1990) 85
*Two-dimensional NMR*
– Structure determination of polypeptides and proteins by two-dimensional nuclear magnetic resonance spectroscopy - Kalbitzer et al. 164 (1990) 180

*$URu_2Si_2$*
– Advances in high field magnetism - Date 164 (1990) 108

*$V_3Ga$*
– Development of advanced high field superconductors - Noto et al. 164 (1990) 124
*Virus*
– Recent biophysical studies in high magnetic fields - Maret 164 (1990) 205
*Von Klitzing constant*
– Recent results of high magnetic field experiments on 2D systems: localization; and quantized Hall resistance - Kawaji 164 (1990) 50

*Water-cooled magnet*
– 35 Tesla hybrid magnet - Leupold et al. 164 (1990) 8
– The Nijmegen hybrid magnet systems - van Hulst and Perenboom 164 (1990) 13
– Development project of high-field facilities at NRIM - Inoue et al. 164 (1990) 21
– High field magnets at Sendai - Nakagawa et al. 164 (1990) 29
*Water cooling system*
– The Nijmegen hybrid magnet systems - van Hulst and Perenboom 164 (1990) 13

*X-ray spectra, Kβ satellite*
– Kβ satellite spectrum of metallic nickel - Soni and Nigam 164 (1990) 339

*Y–Ba–Cu–O*
– Macroscopic nature of transport properties in high-$T_c$ superconductors - Muto et al. 164 (1990) 139
– Flux creep and critical currents in oxide superconductors - Matsushita 164 (1990) 150
*$YbB_{12}$*
– Advances in high field magnetism - Date 164 (1990) 108

*$ZnP_2$*
– High field magneto-optics at Tohoku university - Kido et al. 164 (1990) 76